Application No.: 09/804498 Docket No.: MIY-P01-013

AMENDMENTS TO THE CLAIMS

 (currently amended) A medical device comprising a push-in bone anchor and substantially encapsulated in a protective cover prior to implantation into bone, the cover comprising a brittle mass of biocompatible material, the push-in bone anchor substantially encapsulated in the mass, the cover breaking when the anchor is implanted into bone.

- 2. (canceled).
- 3. (canceled).
- 4. (previously presented) The medical device of claim 1, wherein said mass comprises a bioabsorbable material.
- 5. (previously presented) The medical device of claim 4, wherein said bioabsorbable material is selected from the group consisting of cross-linked alginated gel, cross-linked collagen, cross-linked hyaluronic acid hydrogel, polylactic-co-glycolic acid, polylactic acid, polyglycolic acid, polyurethane.
- 6. (previously presented) The medical device of claim 1, further comprising an antimicrobial material.
- 7. (previously presented) The medical device of claim 6, wherein said antimicrobial material comprises an antibiotic.
- 8. (previously presented) The medical device of claim 7, wherein said antibiotic is selected from the group consisting of nafcillin, aminoglycoside, ciprofloxin, piperacillin/tazobactum, ampicillin/sulbactum, vancomycin, cephalosporin, TMP/SMX, ampicillin, gentamicin, tobramycin, and ciprofloxacin.
- 9. (previously presented) The medical device of claim 8, wherein said antibiotic is disposed within a bioabsorbable material to form said protective cover.
- 10. (previously presented) The medical device of claim 8, wherein said antibiotic is applied to at least one surface of said protective cover.

Application No.: 09/804498 Docket No.: MIY-P01-013

11. (withdrawn) A method of inserting a bone anchor into a bone, comprising:

- (a) providing a bone anchor;
- (b) providing a protective cover adapted to encapsulate said bone anchor;
- (c) encapsulating said bone anchor in said protective cover;
- (d) locating a bone anchor implantation site on a bone; and
- (e) causing said bone anchor to penetrate said protective cover and implant in said bone.
- 12. (withdrawn) The method of claim 11, wherein said bone anchor is encapsulated in said protective cover prior to engagement of said bone anchor to an implantation device.
- 13. (withdrawn) The method of claim 11, wherein said bone anchor is encapsulatedin said protective cover after engagement of said bone anchor to an implantation device.
- 14. (withdrawn) The method of claim 11, wherein said protective cover for encapsulating a bone anchor comprises a generally ellipsoidal mass.
- 15. (withdrawn) The method of claim 14, wherein said mass is substantially deformable.
- 16. (withdrawn) The method of claim 14, wherein said mass is substantially brittle.
- 17. (withdrawn) The method of claim 14, wherein said mass comprises a bioabsorbable material.
- 18. (withdrawn) The method of claim 17, wherein said bioabsorbable material is selected from the group consisting of cross-linked alginated gel, cross-linked collagen, cross-linked hyaluronic acid hydrogel, polylactic-co-glycolic acid, polylactic acid, polyglycolic acid, polyurethane.
- 19. (withdrawn) The method of claim 18, wherein said protective cover further comprises an antibiotic.

Application No.: 09/804498 Docket No.: MIY-P01-013

20. (withdrawn) The method of claim 19, wherein said antibiotic is selected from the group consisting of nafcillin, aminoglycoside, ciprofloxin, piperacillin/tazobactum, ampicillin/sulbactum, vancomycin, cephalosporin, TMP/SMX, ampicillin, gentamicin, tobramycin, and ciprofloxacin.

- 21. (withdrawn) The method of claim 20, wherein said antibiotic is disposed within said bioabsorbable material to form said cover.
- 22. (withdrawn) The method of claim 20, wherein said antibiotic is applied to at least one surface of said protective cover.